DOBRUSIN & THENNISCH PO

401 S. Old Woodward Avenue, Suite 311

Birmingham, MI 48009

FAX RECEIVED

Telephone: Facsimile:

(248) 593-9900 (248) 593-0581

FEB 1 1 2002

GROUP 1600 FACSIMILE TRANSMITTAL SHEET FROM: Examiner Bao-Thuy L. Nguyen Eric M. Dobrusin COMPANY: DATE: **USPTO** 2.8.02 FAX NUMBER TOTAL NO. OF PAGES INCLUDING COVER: (703) 308-4242 PHONE NUMBER: SENDER'S REFERENCE NUMBER: 1003-015 YOUR REFERENCE NUMBER: SN 09/747,619 ☐ URGENT ☐ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE RECYCLE

Please deliver immediately to the above Examiner. Thanks.

THIS MESSAGE IS INTENDED ONLY POR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED, AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAWS. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA U.S. POSTAL SERVICE. THANK YOU.





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Wayne L. Ryan et al.

Group Art Unit: 1641

Serial No.: 09/747,619

Examiner: Nguyen

Filed: December 22, 2000

For: IMPROVED FLOW CYTOMETRY REAGENT AND SYSTEM

Attorney Docket No.: 1003-015

Commissioner of Patents Washington, D.C. 20231

For Discussion Purposes Not to be Placed in File

Proposed Claim

In a composition for preserving leukocytes for cytometric analysis in which the composition includes (i) an agent for lysing erythrocytes from a sample of fresh human whole blood, and (ii) an agent for preserving leukocytes from the sample of fresh human whole blood selected from the group consisting of diazolidinyl urea (IDU), imidazolidinyl urea (IDU), an oxazolidine and mixtures thereof, the improvement comprising:

an agent for minimizing the lysis of leukocytes including about 5 to about 100 mg/dl of a lipoprotein.